



Washer and Dryer





Our new machines will work even harder for your business

Our latest commercial washer and dryer are loaded with all the style and reliability you would expect from the UK's leading laundry specialist. Our easy-to-use ILC 98 machines have been designed with efficiency in mind, offering low water consumption to cut running costs, speedy spin cycles to reduce drying times and generous drum capacity to help you do more in less time.



Speed meets style in the latest addition to our washer range

ILC 98 Washer

Features:

Controls

- Pre-programmed cycles for ease of selection
- Enhanced wash options
- Eco option for smaller loads
- Leak detection feature
- Manual auditing of cycle counts
- Lifetime data history
- Fully updateable firmware for future proofing

Superior wash quality

- Unique serpentine baffles scoop water in either direction for enhanced wash action

Instant door release on completion

- No more waiting around at the end of the cycle

Dynamic balancing and re-designed suspension

- Achieves full spin speed regardless of uneven installation and larger wash loads
- Easier installation

Regulations

- WRAS approved category 5
- Complies with CQC requirements
- WTL approved

Auto-dose ready

- Optional detergent kit available

Options

- OPL or coin operated
- Self heat or boiler fed
- Pump or gravity drain

Tilted control panels

- Ease of use & visibility due to angled control panel

Increased G force

- For greater water extraction & less drying time

Larger capacity

- 20% increase in drum size

Sound reduction

- Less operating noise and cabinet vibration

Efficient

- 15% labour saving & less water per kg



With 20% more capacity than its predecessor, lower water consumption and quieter operation, our ILC 98 washer is ideal for everyday, multi-load use. Time is of the essence in any on-premise laundry, which is why we have added clever features like instant opening once a cycle ends, faster spin programmes and easy-to-use tilted control panels that mean you can 'select in seconds' from various wash options.

Find the day-to-day reliability you need in our stylish commercial dryer

ILC 98 Dryer

Features:

Controls

- Pre-programmed cycles for ease of selection
- Manual auditing of cycle counts
- Lifetime data history
- Fully updateable firmware for future proofing

Available in 2 heat options

- Gas
- Electric

Easy loading

- Wide door opening for easy access

Easy cleaning

- Robust lint filter ensuring maximum performance every load

Tilted control panels

- Ease of use & visibility due to angled control panel

Efficient

- Fast-dry cycles ensure low running costs

Our new ILC 98 dryer offers fast, energy-efficient cycles, and is simple to use thanks to its enhanced control panel. Wide door opening makes loading easier and faster for busy laundry staff, and four different temperature settings mean you can adapt the drying programme to suit any load. For even more efficiency, it can be stacked on top of the ILC 98 washer where space is limited.



Staying on top of your laundry

ILC 98 Stacked systems

Get the convenience of two machines in the space of a single cabinet.

We've designed the stylish ILC 98 dryer cabinet to offer improved performance on every level. Alongside new features and technical improvements inspired by previous ILC machines, our stackable solution means you can double-up on efficiency by using it on top of our ILC 98 washer. If you need extra drying capacity, you can also put two dryers together in an upright combination - saving time and space in the process.



Looking after the pounds

ILC 98 Coin-op systems

The ILC 98 washer and dryer are also available with our robust coin-op mechanisms, which benefit from low running costs and more-efficient-than-ever performance. Extra large integrated coin boxes reduce the need to empty as frequently, meaning less hassle for business owners whilst larger capacities and faster spin speeds mean customers can wash more laundry in less time. Full auditing of cycle counts and monies received plus time of day pricing modifier ensure maximised revenue.



Technical specifications

	ILC 98 Washer	ILC 98 Dryer	ILC 98 Washer/ Dryer Stack	ILC 98 Dryer/ Dryer Stack
Capacity (kg)	9.5	9.5	9.5/9.5	9.5
Height (mm)	1121	1121	1994	1194
Width (mm)	683	683	683	683
Depth (mm)	744	711	744	711
Net Weight (kg)	122	68	177	125
Drum Volume (litres)	97	201	97/201	201/201
G Force (G)	440		440	
Microprocessor Control	Y	Y	Y	Y
Free Standing	Y	Y	Y	Y
No. of Water Connections (Cold/Hot)	1/1		1/1	
Water Connection Size ("BSP)	3/4		3/4	
Exhaust Diameter (mm ; in)		102 ; 4"	102 ; 4"	(2 x) 102 ; 4"
Make-Up Air (m2 ; in2)		0.013 ; 20	0.013 ; 20	0.026 ; 40
Airflow (m3/min ; ft3/min)		5.1 ; 180	5.1 ; 180	(2 x) 5.1 ; 180
Drain Connection: Pump (standpipe mm ; in)	50mm/2"		50mm/2"	
Drain Valve (mm ; in)	50mm/2"		50mm/2"	
Gas Rating (kW ; BTU)		5.9 ; 20,000	5.9 ; 20,000	(2 x) 5.9 ; 20,000
Gas Connection Size ("BSP)		3/8	3/8	(2 x) 3/8
Electrics				
4.8kw Boiler Fed Washer (Volt/ph/Amp)	230/1/10		230/1/10	
Self Heat Washer (Volt/ph/Amp)	230/1/25		230/1/25	
Electric Heat Dryer (Volt/ph/Amp)		230/1/25	230/1/25	(2 x) 230/1/25
Gas Dryer (Volt/ph/Amp)		230/1/10	230/1/10	(2 x) 230/1/10
Optional Electrics				
2.4kw Self Heat Washer (Volt/1ph/Amp)	230/1/13		230/1/13	
4.8kw Self Heat Washer (Volt/3ph/Amp)	400/3/10		400/3/10	

All specifications subject to change without notice. For full specifications, refer to the 'installation specification sheet'.

NOTE: A stack unit requires 2 electrical supplies.

