Maxwell Adam



PDR 918 [G]

Professional vented dryer, gas heating with programmable M Touch Pro controls for the maximum in flexibility.



- Drum volume 325I , load size 13.0 18.0 kg
- Unique, gentle fabric care honeycomb drum
- Greatest energy efficiency thanks to Air Recycling
- Precision drying of all fabricsPerfectDry
- Connected for the future using LAN and WiFi

EAN: 4002516408765 / Article number : 52918004EU / Material number: 11717940

EAN: 40025164067657 Article number : 52916004E07 Ma	aterial number: 11717940
Construction type and version	
Construction type	Front loader
Range	Performance Plus
Front	Iron grey
Maximum load size in kg	18.0
Load size with a load ratio of 1:25	13.0
Load size with a load ratio of 1:18	18.0
Load ratio	1:18
Drum volume in I	325
Drying system	Vented
Door opening [Ø] in mm	520
Door opening angle in degrees	180
Door hinge	left
Convertible door hinging	•
Stainless steel honeycomb drum	•
Application	
Suitable for the hotel and catering industry	•
Suitable for retirement and care homes	•
Suitable for facility management	•
Suitable for launderettes	•
Suitable for residential homes and apartments	•
Suitable for dry cleaners	•
Suitable for commercial laundries	•
Suitable for fire brigades and rescue services	•
Suitable for studs, riding schools and stables	•
Suitable for universities, nurseries, and schools	•
Suitable for hospitals	•
Suitable for sports clubs	•
Suitable for beauty salons, spas, and fitness centres	•
Suitable for doctors' and dentists' practices	•
Suitable for the petrochemicals industry	•
Suitable for the food-processing industry	•
Suitable for amusement parks & holiday complexes	•
Suitable for state/community care facilities	•
Performance data	
Maximum evaporation capacity in I/hour	16.5
Specific energy consumption in kWh/kg	0.56
Specific energy consumption for Cottons/Normal drying	0.56
programme with residual moisture at 48 % in kWh/kg	
Programme duration in min.	26
Service life in drying cycles	40.000,0000

PDR 918 [G] Professional vented dryer, gas heating with programmable M Touch Pro controls for the maximum in flexibility.



Controls	
Programmability	programmable
· · ·	Residual moisture
User interface	controlled
Max. delay start in h	24
Time left display	•
Programme sequence indicator	•
Selectable display languages	•
Standard electrical connection	
Heating type	Gas
Electrical connection	1N AC 230V 50HZ
Gas heater rating in kW	18.00
Total connected load in kW	0.60
Fuse rating in A	10
Dimensions and weight	
External dimensions, net height in mm	1,400
External dimensions, net width in mm	906
External dimensions, net depth in mm	1,035
External dimensions, gross height in mm	1,526
External dimensions, gross width in mm	1,090
External dimensions, gross depth in mm	1,125
Net weight in kg	180
Gross weight in kg	193
Maximum floor loading in N	2026
Emissions data	
Heat dissipation into the room in MJ/h	4.50
Features	
Intelligent drum reversal	
Axial airflow	
Large-surface fluff filter	
PerfectDry	<u>•</u>
SoftLift drum ribs	
Air Recycling	
Communication slot	•
Programme selection via colour frame	<u>•</u>
Emergency switch-off	•
Machine-independent accessories	•
Connection options	
Payment system (optional)	
Optical interface for service access	<u>•</u>
Peak-load negotiation / energy management (optional)	
Connector Box	
LAN/WiFi module (optional)	•

PDR 918 [G] Professional vented dryer, gas heating with programmable M Touch Pro controls for the maximum in flexibility.



orthological trial	
Capacities	
Respirator masks [number]	12
Overalls [number]	2
Over jackets [number]	3
Synthetic duvets [number]	1
Synthetic pillows [number]	3
Down duvets [number]	1
Down pillows [number]	3
Cloths, 22 g [number]	295
Cotton mops, 40 cm [number]	68
Cotton mops, 50 cm [number]	59
Microfibre mops, 40 cm [number]	108
Microfibre mops, 50 cm [number]	76
Mops, office, 100 g [number]	186
Mops, stairway, 150 g [number]	144
Summer horse blankets [number]	3
Standards, test certificates and symbols	
CE	•
VDE	•
VDE-EMC	•
Splash-proof safety rating IPX4	•
DVGW gas	•
WEEE	•
Complies with Machinery Directive 2006/42/EC	•



The Miele Company Limited Fairacres Marcham Road Abingdon OX14 1TW

Sales: 0845 365 6636

Customer Service: 0845 365 6608 miele-professional@miele.co.uk www.miele.co.uk/professional

Twitter: @MieleProf

Professional laundry, dishwashing, disinfection and sterilisation equipment. For many years Miele Professional has been at the forefront of manufacturing commercial laundry, dishwashing, disinfecting and sterilisation equipment, bringing you a comprehensive selection of machines for a wide range of applications. Whatever the business sector our commercial range has it covered.